



www.tricirclepavers.com

FIREPIT COLLECTION



ROUND FIREPIT



AVAILABLE COLORS



Café



Glacier



Chantilly




Granite

INSERT OPTIONS



Powder Coated Black



Stainless Steel

ROUND FIREPIT DIMENSIONS
14" H, 32" ID, 46" OD

SQUARE FIREPIT



AVAILABLE COLORS



Carolina



Oyster Shell



Sandstone



Antique Red

INSERT OPTIONS



Steel Insert

SQUARE FIREPIT DIMENSIONS
16" H, 31.5" ID, 47.5" OD

FIREPIT INSTALLATION

(APPLICABLE TO BOTH ROUND AND SQUARE FIREPITS)



STEP 1: Choose a location that is level and away from your house and low hanging trees or branches. Place the base ring down for a template. Mark a circle 2" from the outside diameter. Remove the base ring when clearly marked.



STEP 2: Dig out the circle and level out the soil approximately 3-4" deep. Remove the sod and dirt to a depth of 3-4".



STEP 3: Compact the soil using a hand tamper. Tamp down substrate (soil) keeping it level. Check the area with a level. Adding and removing soil as needed, tamp again.



STEP 4: Place clean small gravel (#9 or #89 grave/stone) 2.5-3" deep.



STEP 5: Tamp down gravel/stone keeping it level.



STEP 6: Place first course and use rubber/plastic mallet to establish a level bottom course.



STEP 7: Continue to install the interlocking pieces 3 layers high. No adhesive needed.



STEP 8: Fill the outer perimeter with the small gravel. Complete with putting on the four piece caps. Adhesive is optional.



www.tricirclepavers.com

Plant Locations:

2709 Jeffcott Street · Fort Myers, FL 33901 · 239.332.2325

3311 Noralyn Mine Road · Bartow, FL 33830 · 1.888.532.0788